N3 SERIES NETWORK VIDEO RECORDERS WITH POE

N3NVR4POE N3NVR8POE N3NVR16POE N3NVR3216PO

4-Channel NVR with 4-Ch. POE

8-Channel NVR with 8-Ch. POE

16-Channel NVR with 16-Ch. POE

N3NVR3216POE 32-Channel NVR with 16-Ch. POE







NORTHERN VIEW

Free Mobile App for iPhone, iPad. Android™ & Android™ Tablets

Plug & Play with Northern N2 & N2 "SD" Series Cameras! Cameras Sold Separately

FEATURES:

- Plug & Play with Northern N2 & N2 "SD" Series Cameras
- Real-Time 30FPS/Ch Recording
- Up to 8MP Recording 4-8-16 Channel
- Up to 12MP Recording on 32 Channel
- ♦ H.265 & H.264 Recording Compressions
- ♦ NorthernView Mobile App for iPhone, iPad & Android™
- ♦ Built-in Motion Detection & Privacy Mask
- Supports P2P Operation
- ♦ Up to 12TB Storage Capacity (4Ch)
- Up to 24TB Storage Capacity (8, 16Ch)
- ♦ Up to 48TB Storage Capacity (32Ch)

- ♦ Free NORTHERN VIEW CMS Software
- ♦ Integrated 40W/120W/120W POE Switch (4/8/16-Ch)
- ♦ Integrated 160W POE Switch (32Ch)
- Included Mouse for NVR Control
- ♦ USB for Mouse Control & Copying Video
- ◆ Simultaneous HDMI & VGA Outputs (4Ch)
- ♦ Independent HDMI & VGA Outputs (8, 16, 32Ch)
- ◆ Up to 16 Channel Synchronous Playback
- Accepts ONVIF Protocols
- ◆ Rack Mount Hardware Included (8, 16, 32Ch)
- ♦ Built-In Audio & Alarm / Supports 2-Way Audio



Android is a trademark of Google LLC.

N3NVRPOE Series

N3 SERIES NETWORK VIDEO RECORDERS WITH POE

Learn More

H.265 Recording Compression

H.265 compression format provides both increased video quality and reduced bandwith consumption.

Mobile App for iPhone, iPad & Android™

NorthernView Mobile App allows for viewing and playback from multiple mobile devices.

Real Time 1080p Recording

All Models record up to 30FPS per Channel.

Up to 48TB Storage Capacity

Large storage capacities allows for longer storage of recording video. Up to 12TB (4Ch), 24TB (8-16Ch) 48TB (32Ch).

Built in Motion Detection

Maximize your recording duration by only recording when Motion is detected by the NVR.

Built in POE Switch

4Ch/40W, 8 & 16Ch/120W & 32Ch/160W POE Switch for connecting and powering cameras directly from the NVR using only a single Category 5/6 cable.

Free CMS Software for PC & MAC

Connect to Multiple NVR's or individual IP cameras from a single computer with the included CMS software.

HDMI & VGA Video Outputs

Simultaneous HDMI & VGA outputs on 4Ch model. Independent HDMI & VGA ouputs on 8-16-32Ch Models.

Supports DDNS

DDNS feature insures you will always stay connected to your NVR when using a Dynamic IP address

P2P Operation

Peer to Peer functionality makes mobile viewing setup easier by bypassing the need to configure port forwarding in most routers.

Multiple USB Ports

NVR's include dual front USB & single rear USB 2.0 ports for easy copying of video to a USB drive and mouse control.

Remote Accessiblity

Remotely connect, monitor, playback, record and change NVR settings via IE & Chrome browsers.

Plug & Play

The N3NVR Series will plug and play with all N2 & N2 "SD" Series IP Cameras. Plug & Play automatically finds and configures Northern N2 Series cameras.

Recorder Model Numbers

4Ch & 8Ch Models Offered as Base Models with No Storage or with 2TB Built-in Drives, 16Ch Models Offered as Base Models with No Storage or with 2TB & 4TB Built-In Drives. Other Drive Configurations Require Separate Base Model Recorder & Hard Drive/s. See chart below.

Package Contents

Power Cord
Power Supply
(4 & 8Ch Units only)

Quick Start Manual

Rack Mount Hardware (8, 16, 32Ch only)

Mouse


Browser Based Remote Software

Recorder	4 Channel	8 Channel	16 Channel	16 Channel
No Storage	N3NVR4P0E	N3NVR8POE	N3NVR16P0E	N3NVR3216P0E
2ТВ	N3NVR4P0E2T (Built-In Drive)	N3NVR8P0E2T (Built-In Drive)	N3NVR16P0E2T (Built-In Drive)	N3NVR3216P0E + NORTHERN-WD22PURZ
4TB	N3NVR4POE + NORTHERN-WD42PURZ	N3NVR8POE + NORTHERN-WD42PURZ	N3NVR16P0E4T (Built-In Drive)	N3NVR3216P0E + NORTHERN-WD42PURZ
6ТВ	N3NVR4POE + NORTHERN-WD63PURZ	N3NVR8POE + NORTHERN-WD63PURZ	N3NVR16P0E + NORTHERN-WD63PURZ	N3NVR3216P0E + NORTHERN-WD63PURZ
8ТВ	N3NVR4P0E + NORTHERN-WD8001PURP	N3NVR8POE + NORTHERN-WD8001PURP	N3NVR16P0E + NORTHERN-WD8001PURP	N3NVR3216P0E + NORTHERN-WD8001PURP
10ТВ	N3NVR4P0E + NORTHERN-WD101PURP	N3NVR8POE + NORTHERN-WD101PURP	N3NVR16P0E + NORTHERN-WD101PURP	N3NVR3216P0E + NORTHERN-WD101PURP
12TB	N3NVR4P0E + NORTHERN-WD121PURP	N3NVR8POE + NORTHERN-WD121PURP	N3NVR16P0E + NORTHERN-WD121PURP	N3NVR3216POE + NORTHERN-WD121PURP
16ТВ	N/A	N3NVR8P0E + (2)NORTHERN-WD8001PURP	N3NVR16P0E + (2)NORTHERN-WD8001PURP	N3NVR3216P0E + (2)NORTHERN-WD8001PURP
20TB	N/A	N3NVR8POE + (2)NORTHERN-WD101PURP	N3NVR16P0E + (2)NORTHERN-WD101PURP	N3NVR3216P0E + (2)NORTHERN-WD101PURP
24TB	N/A	N3NVR8POE + (2)NORTHERN-WD121PURP	N3NVR16P0E + (2)NORTHERN-WD121PURP	N3NVR3216P0E + (2)NORTHERN-WD121PURP
36ТВ	N/A	N/A	N/A	N3NVR3216P0E + (3)NORTHERN-WD121PURP
48TB	N/A	N/A	N/A	N3NVR3216P0E + (4)NORTHERN-WD121PURP



N3 SERIES NETWORK VIDEO RECORDERS WITH POE

Rear Panel Definitions / Connections





N3 SERIES NETWORK VIDEO RECORDERS WITH POE

N3NVRPOE Series Specifications

FEATURES	N3NVR4P0E	N3NVR8P0E	N3NVR16POE	N3NVR3216P0E		
IP Video Input	4-Channel	8-Channel	16-Channel	16-Channel		
IP Video Input Two-Way Audio Input NTSC / PAL		3.5mm A	udio Jack			
NTSC / PAL	Yes					
Plug & Play Models	N2 Series N2IP4B, N2IP4D, N2IP4D4MM, N2IP4T, N2IP4W, N2IP4AFD, N2IP4AFB, N2IPPTZ30X N2 "SD" Series N2IP4BSD, N2IP4DSD, N2IP4D4MMSD, N2IP4TSD, N2IP4WSD, N2IP4AFDSD, N2IP4AFBSD, N2IPPTZ30XSD					
불 Incoming Bandwidth	40 Mbps	80 Mbps	160 Mbps	320 Mbps		
Incoming Bandwidth Outgoing Bandwidth	40 Mbps	80 Mbps	160 Mbps	320Mbps		
Remote Connection		Up to 8 Users				
Recording Resolution	1	12MP (32ch Only) / 8MP / 6MP / 5MP / 4MP / 3MP / 1080p / 720p / D-1				
Frame Rate HDMI Output Resolution	12MP @ 20fps (32ch Only), 8MP / 6MP / 5MP / 4MP / 3MP / 1080p / 720p / D-1 @ 30fps					
HDMI Output Resolution		3840 x 2160, 1920 x 1080, 1280 x 1024, 1024 x 768				
VGA Output Resolution	1920 x 1080, 1280 x 1024, 1024 x 768					
Audio Output		3.5mm Audio Jack - For Two-Way Audio Only				
Live / Playback Resolution	1	12MP(32ch Only)/8MP/6MP/5MP/4MP/3MP/1080p/720p/D-1				
Live / Playback Resolution Playback Capability	1Ch-8MP/4Ch-1080P@30fps	1Ch-8MP/4Ch-1080P/ 8Ch-D1@30fps	1Ch-8MP/4Ch-1080P/ 9Ch-D1/16ch D1@30fps	1Ch-12MP@20FPS / 4Ch-8M / 9Ch-1080p / 16Ch-1080p / 32Ch-D1 @ 30FPS		
Compression	·	H.265 , H.264, H.264+				
Record Mode Types Bit Rate (Per Channel) Pre & Post Recording		Manual, Schedule (Regular, Continuous), Motion Detection, Alarm In				
Bit Rate (Per Channel)		100Kbps ~ 6144kbps 100Kbps ~ 8000Kbps				
	Auto Pre Reco	Auto Pre Recording based on # of Cameras Connected / Post Record (30 sec ~ 60 sec adjustable)				
Redundant Recording		N/A Requires 4x HDD				
Recording Parameters		Independent for Each Channel (Resolution, Frame Rate, Bit Rate, etc.)				
Recording Parameters Zooming	Yes - Digital Zoom Available in Live View & Playback					
Synchronous Playback	Up to 4Ch					
Playback Controls	Play, Pause, Stop, Rewind, Fast Play, Slow, FW 30s, BW 30s					
Searching		Time / Date, Alarm, Picture Grid, Event				
SATA	1x	1x 2x 4x				
Canacity	1/	Up to 12TB				
Max Storage RAID	12TB	12TB 24TB 48TB				
RAID	1210	N/A		RAID 5,6,10		
eSATA		N/A	Yes			
HDD Detection	Built-IN SMART Detection					
Naturali Interface	1 DL 45 port (10/100Mbps)	1 RJ-45 port (10/100Mbps) 1 RJ-45 port (10/100/1000Mbps)				
Network Interface USB Interface	1 KJ-45 port (10/100Mbps)	3x USB 2.0				
USB Interface Alarm In/Out CMS Software	4/1	8/1 8/2 2/2				
CMS Software	4/1			2/2		
CIVIS SOITWAIE	Included NorthernView N2 Series CMS 4Ch 100Mbps 8Ch 100Mbps 16Ch 100Mbps					
Network Interface Maximum Power	4Ch 100Mbps	8Ch 100Mbps				
	40W		0W	160W		
Supported Standard	IEEE 802.3af					
Power Supply	DC48V/1.25A		AC100~240			
Consumption (no HDD)	< 5W < 15W					
Operating Temperature Operating Humidity Chassis	-10 °C ~ 50 °C (14 °F ~ 122 °F)					
Operating Humidity		Less than 90% RH				
Chassis	No Rack Mount	1U Rack Mount		2U Rack Mount		
Dimensions	255×235×47.5mm	372×310.5	5×46.5mm	440×383.6×70mm		
Weight (no HDD)	1.98lb / 0.9kg	4.6lb/2.1kg	6.05lb/2.75kg	9.7lb / 4.4kg		